



# HP DesignJet T1120 SD-MFP Sealed Bid (Bid-257) Town of Salem

June 2009

---

**SALEM PURCHASING DEPARTMENT**  
Stephen Artemis, Purchasing Coordinator  
603-890-2090 fax 603-890-2091  
sartemis@ci.salem.nh.us

Mr. Jonathan Sistare, Town Manager

Prepared for and in coordination with the  
**Information Technology Department**  
Cynthia Crescenzi, IT Director  
603-890-2154 fax 603-890-3882  
ccrescenzi@ci.salem.nh.us

**COMPETITIVE SEALED BIDS FOR  
HP Designjet Printer  
JUNE 2009**

It is the intent of the Town of Salem, New Hampshire to engage the services of a qualified firm to provide the town with the following product(s) or services to be purchased. "HP Designjet T1120 SD"

Sealed bids must be received no later than June 22<sup>nd</sup> 2009 before 11:00am from interested firms, to be eligible for consideration by the town. Each bid will be submitted in a sealed envelope which is clearly marked "**Bid-257 "HP Designjet T1120 SD"**"

All sealed bids received will be considered confidential and not available for public review until after the bid opening on June 22<sup>nd</sup> 2009 at 11:00am.

Sealed bids and all correspondence relating to this ITB shall be submitted to:

**STEPHEN ARTEMIS**  
Purchasing Coordinator  
Town of Salem  
33 Geremonty Drive  
Salem NH 03079

Qualified Firms requiring additional information or clarification relative to the contents of the bid may direct inquiries to Stephen Artemis, Purchasing Coordinator at 603-890-2090 or [sartemis@ci.salem.nh.us](mailto:sartemis@ci.salem.nh.us). Bid documents may be picked up at the office of the Purchasing Coordinator at the above address during regular business hours: Monday to Friday 8:30 am to 5:00 pm. Please visit our website to download a copy of this Bid-257 [www.townofsalemnh.org](http://www.townofsalemnh.org) Finance-Purchasing /bids-proposals. Copies will not be faxed.

(1) One original and (1) One copy is required and must be received at the above address no later than 06/22/2009 before 11:00 AM, late bids will not be considered.

The Town reserves the right to reject any or all bids/proposals or any part thereof, to waive any informality or information in the bids/proposals, and to accept the bid /proposal considered to be in the best interest of the Town. The Town also reserves the right to conduct reasonable negotiations with low bidders and sole bidders. Failure to submit all information may declare a bid/proposal as non-responsive subject for disqualification.



**Town of Salem, New Hampshire**

**Purchasing Department  
33 Geremonty Drive  
Salem, New Hampshire 03079**

**Notice To Qualified Firms**

\*Do not alter bid documents in any way.

If you wish to offer comments, additional information or alternate bids, please do below or on a separate sheet and attach it to the bid sheet.

- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

The purpose of the attached specifications is to define minimum requirements only. They are not meant to be restrictive. All manufacturers meeting or surpassing these minimum specifications are invited to submit a bid/proposal.

Please don't hesitate to call me if you need any additional information.  
Stephen Artemis, Purchasing Coordinator (603) 890-2090

For specification information please contact  
Cynthia, Crescenzi, IT Director  
603-890-2060 fax 603-890-2091

The Town of Salem reserves the right to reject any and all sealed bids/proposals that it deems non-conforming to the specifications enclosed. All information must be filled out correctly for consideration.

**DO NOT FAX BIDS, THEY WILL NOT BE ACCEPTED.**



**Town of Salem, New Hampshire**

**Purchasing Department  
33 Geremonty Drive  
Salem, New Hampshire 03079**

**Specifications Exception Form**

In the interest of fairness and sound business practice, it is mandatory that you state any exceptions taken by you to our specifications.

It should not be the responsibility of the Town of Salem to ferret out information concerning the materials, which you intend to furnish.

If your bid/proposal does not meet all our specifications you must state it in the space provided below.

---

---

---

Bids/proposals on equipment, vehicles, computers, supplies, services and materials not meeting specifications may be considered by the Town, however, all deviations must be listed above.

If your bid does not meet our specifications, and your exceptions are not listed above or in space provided, the Town of Salem may claim forfeiture on your bid, if submitted.

Signed \_\_\_\_\_  
I DO meet specifications

Signed \_\_\_\_\_  
I DO NOT meet specifications as listed in this bid, exceptions are in space provided.

Failure to submit this form with your Bid/Proposal response may result in your Bid/Proposal being rejected as unresponsive.



**Town of Salem, New Hampshire**

**Purchasing Department  
33 Geremonty Drive  
Salem, New Hampshire 03079**

**Form for General Bid**

In compliance with all specifications enclosed the Bidder hereby proposes to supply the listed equipment/services in strict accordance with the contract documents provided. The undersigned will provide and deliver an HP-Designjet T1120 SD-MFP at the pricing listed below. \*Price to include the cost of delivery. \*Price to include Maximum RAM Memory.

The Proposal must meet or exceed the specifications listed.  
Please provide pricing in the spaces provided.

- HP Designjet T1120 SD-MFP /Lump Sum \$ \_\_\_\_\_
- Estimated Date Of Delivery \_\_\_\_\_
- Proposal Submitted by (Company Name) \_\_\_\_\_
- Title \_\_\_\_\_ Authorized Signature \_\_\_\_\_
- Printed Name \_\_\_\_\_ Contact Phone \_\_\_\_\_
- Address \_\_\_\_\_ Date \_\_\_\_\_
- Email \_\_\_\_\_



**Town of Salem, New Hampshire**

**Purchasing Department  
33 Geremonty Drive  
Salem, New Hampshire 03079**

**Insurance Requirements**

A current Insurance certificate must be provided in the following amounts:

Comprehensive General Liability Combined single limit	\$ 1,000,000.00
Workmen's Compensation & Employers Legal Liability	\$ 500,000 per accident

**Non-Collusion Statement**

The Undersigned certifies under penalties of perjury that this bid in all respects is bonafide, fair and made without collusion or fraud with any other person. As used in this paragraph, the "PERSON" shall mean any natural person, joint venture, partnership, corporation or other business or legal entity.

Title \_\_\_\_\_  
Signature \_\_\_\_\_  
Company \_\_\_\_\_



**Town of Salem, New Hampshire**

**Purchasing Department  
33 Geremonty Drive  
Salem, New Hampshire 03079**

**No Bid Questionnaire**

Reference: Sealed Bid-257

If you choose not to bid, please complete the questionnaire below and return it with your response by the bid opening date. Your assistance in helping us to analyze no bid rationale is very much appreciated. Thank You.

\* \* \* \* No Bid Questionnaire \* \* \* \*

A no bid is submitted in reply to the Town of Salem, NH invitation for bids for (enter requirement description):

Dated \_\_\_\_\_, for the following reasons:

- \_\_\_\_\_ Item not supplied by our company.
- \_\_\_\_\_ Bid Specification (Give reason(s) e.g., too restricted, not clear etc.)
- \_\_\_\_\_ Profit Margin too low
- \_\_\_\_\_ Past experience with the Town of Salem (give specific's e.g. payment delay, bid process, admin problems, etc. \_\_\_\_\_)
- \_\_\_\_\_ Insufficient time allowed to prepare and respond to bid request.
- \_\_\_\_\_ Bid requirements too large \_\_\_\_\_ or too small \_\_\_\_\_ for our company.
- \_\_\_\_\_ Priority of other business opportunities limits time.
- \_\_\_\_\_ Other reason(s) Please Specify: \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

Company Name \_\_\_\_\_  
Address \_\_\_\_\_  
Phone \_\_\_\_\_

\_\_\_\_\_  
(Signature)

\_\_\_\_\_  
(Name & Title)

## **General Terms and Conditions**

**Preparation of Bids/Proposals.** Proposals shall be submitted on the forms provided and must be signed by the Bidder or his authorized representative. The person signing the proposal shall initial any corrections to entries made on the attached forms.

Vendors must provide pricing on all items appearing on the bid forms unless specific directions in the advertisement, on the bid form or in the special provisions allowed for partial bids. Failure to provide pricing on all items may disqualify the bid. Alternative bids will be considered, unless otherwise stated, only if the alternate is described completely, including, but not limited to, sample, if requested and specifications sufficient so that a comparison to the request can be made.

Any questions or inquiries must be submitted in writing, and must be received by the Purchasing Department no later than seven (7) calendar days before the Request for Proposal due date to be considered. Any changes to the Request for Proposal will be provided to all bidders of record.

The name of manufacturer, trade name, or catalog number mentioned in this request for bid description is for the purpose of designating a minimum standard of quality and type. Such references are not intended to be restrictive, although specified color, type of material and specified measurements may be mandatory.

Proposals will be considered for any brand that meets or exceeds the quality of the specifications listed. On all such proposals, the bidder shall specify the product they are proposing and shall supply sufficient data to enable a comparison to be made with the particular brand or manufacturer specified. Failure to submit the above may be sufficient grounds for rejection of the proposal.

**Submitting Bids/Proposals.** Proposals must be submitted as directed in the Notice to Qualified Firms, and on the forms provided unless otherwise specified. Proposals must be typewritten or printed in ink. Proposals must be mailed or delivered in person. Proposals that are faxed or emailed will not be accepted.

**Withdrawal of Bids/Proposals.** Proposals may be withdrawn prior to the opening date and time upon written request of the Proposer. Negligence on the part of the Proposer in preparing his/her proposal shall not constitute a right to withdraw a proposal subsequent to the proposal opening.

**Award of Contract.** It is the policy of the Town of Salem, NH that contracts are awarded only to responsible bidders. In order to qualify as responsible, a prospective vendor must meet the following standards as they relate to this request:

- A. Have adequate financial resources for performance or have the ability to obtain such resources as required during performance.
- B. Have the necessary experience, organization, technical and professional qualifications, skills and facilities.
- C. Be able to comply with the proposed or required time of completion or performance schedule; and
- D. Have a demonstrated satisfactory record of performance.
- E. Adhere to the specifications of this bid and provide all documentation required of this bid.

The contract will be awarded to a responsive & responsible bidder based on the qualifications and experience of the bidder, the quality of the equipment/product /materials/services to be provided and the support that the bidder offers during the duration of the supply terms.

**Pricing.** Unless otherwise specified all prices listed are firm for the term of the contract. All prices should include all labor and material costs, and any discounts offered.

**Payment.** Payment will be made net 30 days from the date of the invoice. Invoices submitted after 90 days will require proof of service, delivery of materials, supplies, equipment or work performed. Failure to provide proof of service on invoices submitted past 90 days will result in a review to determine whether payment will be issued.

**Delivery.** Deliveries are to be made only to the department or division indicated on the order and in accordance with accepted commercial practices, without extra charge for packing or containers.

**Guarantees & Warranty.** All parts and labor related to agreements must be guaranteed and include a warranty. If any work is unable to be guaranteed, the contractor must inform the Town, in writing, prior to the delivery of an item or any work being performed.

**Force Majeure.** Neither party shall be liable for any inability to perform its' obligations under any subsequent agreement due to war, riot, insurrection, civil commotion, fire, flood, earthquake, storm or any other act of God.



# HP Designjet T1120 SD-MFP

A trusted choice for demanding professionals



## New affordable, easy-to-use integrated HP MFP

### Fast, intuitive operation improves user efficiency

- Avoid the back and forth between devices. Easily perform key functions—such as copy, scan to USB or network, and file management—from the scanner touchscreen interface.
- Easily maintain this MFP and its supplies with HP Printer Utility and the self-sufficient scanner that does not require calibration at installation. LED lights help you to diagnose any issues.
- You're in total control with a new HP MFP that's easy to manage thanks to the HP Embedded Web Server.
- Concentrate on your customers and your projects thanks to this MFP's timesaving features, such as a CIS scanner that doesn't require a warm-up period.

### Superior line and text quality at the right price

- Produce highly accurate drawings with a printer and HP Vivera inks that deliver outstanding details—with 0.1% line accuracy<sup>1</sup>. The HP Three-black ink set—including a gray HP Vivera ink—produces true neutral gray, accentuating the detail in your prints.
- Powerful presentations—HP Vivera inks produce a range of colors, from vivid color to soft tones.
- See high-quality results—especially for lines and text—with CIS scanning technology and 1200 dpi optical resolution. Scan or copy archived documents of existing buildings or "as-build" drawings to share with colleagues or clients.
- Produce optimized results easily with predefined media profiles and settings for the originals you use most often. You don't have to spend a lot of time adjusting settings whenever you want to copy or scan.

- Media versatility—including over 35 Original HP media—provides additional flexibility.

### Dependable, unique integrated HP solution

- Get back to work quickly knowing detailed prints are not a problem thanks to In-printer processing architecture and an 80 GB HDD.
- Convenient single-vendor solution—built together to work together. There's no greater convenience than having a single device with multiple functions and features reliably working in tandem to provide a very effective, very viable solution.
- Save valuable workspace with this ergonomic multifunction device. It also includes a 9 in (23 cm) touchscreen panel positioned on top of the scanner, which creates additional room in your office.



**For AEC and GIS**  
Small and Medium Size Business

Print in  
**35s/D**

**6**  
colors

**80 GB**  
hard disk

HP-GL/2  
in-printer  
processing

**CIS**  
Scanning  
technology

Scan in  
**1.5ips color,**  
**5ips b&w**

Optimized  
for line  
and text

# HP Designjet T1120 SD-MFP

## Technical specifications

Print	
Print speed <sup>2</sup>	<b>Line drawings:</b> 35 sec D/A1 on plain media in Fast Economy mode, 56 D/A1 per hour on plain media in Fast mode; <b>Color images:</b> 445 ft <sup>2</sup> /hr (41 m <sup>2</sup> /hr) on coated media in Fast mode, 30 ft <sup>2</sup> /hr (2.8 m <sup>2</sup> /hr) on glossy media in Best mode
Print resolution	Up to 2400 x 1200 optimized dpi
Margins (top x bottom x left x right)	<b>Roll:</b> 0.2 x 0.2 x 0.2 x 0.2 in (5 x 5 x 5 x 5 mm) (borderless on photo papers) <b>Sheet:</b> 0.2 x 0.67 x 0.2 x 0.2 in (5 x 16.75 x 5 x 5 mm)
Technology	HP Thermal Inkjet
Ink cartridge colors	Cyan, gray, magenta, matte black, photo black, yellow
Ink types	Dye-based (cyan, magenta, yellow, gray, photo black); pigment-based (matte black)
Ink drop	6 pl (cyan, magenta, photo black, gray), 9 pl (yellow, matte black)
Ink cartridge size	69-ml (photo black, cyan, magenta, yellow, gray) 130-ml (matte black, photo black, cyan, magenta, yellow, gray)
Line width	Minimum line width (HP-GL/2 addressable): 0.0007 in (0.02 mm) <b>Guaranteed minimum line thickness (ISO/IEC 13660:2001(E))*:</b> 0.0023 in (0.06 mm)
Line accuracy	+/- 0.1% <sup>1</sup>
Scan	
Scan speed	Color (200 dpi): 1.5 in/sec (3.81 cm/sec) Black-and-white (200 dpi): 5 in/sec (12.7 cm/sec)
Scan/copy resolution	<b>Optical resolution:</b> 1200 dpi <b>Enhanced mode:</b> 9600 x 9600 dpi <b>Best mode:</b> color and black-and-white: 300 x 300 dpi <b>Normal mode:</b> color and black-and-white: 200 x 200 dpi <b>Draft mode:</b> color and black-and-white: 100 x 100 dpi
Maximum scan width	44 in (1118 mm)
Maximum scan thickness	0.04 in (1 mm)
Copy	
Reduction/enlargement	25 to 400%
Maximum copies	50 copies
Copier settings	Original type, quality, original size, resize, color management
Media handling	
	<b>Printer:</b> Roll feed, sheet feed, automatic cutter <b>Scanner:</b> Sheet feed
Media types	
	<b>Printer:</b> bond and coated paper (bond, coated, heavyweight coated, super heavyweight plus matte, colored), technical paper (natural tracing, translucent bond, vellum), film (clear, matte, polyester), photographic paper (satin, gloss, semi-gloss, matte, high-gloss), backlit, self-adhesive (two-view cling, indoor paper, polypropylene, vinyl) <b>Scanner:</b> Non-abrasive paper, vellum, mylar, sepia, blueprints, plastic film, plastic laminate, foam board, cardboard. (No plywood, stone plates, metal plates or abrasive, dirty, rough, sharp edged, metal clamped, burned surfaces, transparencies.)
Processing and memory	
	<b>Printer:</b> Intel® Pentium® M 800 MHz, 384 MB memory, 80 GB hard disk <b>Scanner:</b> Intel Pentium M 1.5 GHz, 1 GB memory, 40 GB hard disk
Connectivity	
Interfaces (standard)	<b>Printer:</b> 1 Gigabit Ethernet (1000Base-T) port, 1 Hi-Speed USB 2.0 certified port, 1 EIO Jetdirect accessory slot <b>Scanner:</b> 1 Fast Ethernet (10/100Base-T) port, 1 Hi-Speed USB 2.0 certified port
Print languages	HP-GL/2, HP-RTL, CALS G4, TIFF, JPEG, HP PCL 3 GUI
Drivers (included)	HP-GL/2, HP-RTL drivers for Windows® (optimized for AutoCAD 2000 and higher); HP PCL 3 GUI (raster) driver for Mac OS X 10.4/10.5; support for Citrix XenApp and Citrix XenServer environments

(1) ±0.1% of the specified vector length or ±0.1 mm (whichever greater) at 73° F (23° C), 50-60% relative humidity, on E/A0 printing material in Best or Normal mode with HP Matte Film  
(2) Mechanical printing time  
\* Measured on HP Matte Film

Environmental ranges	
Operating temperature	41 to 104° F (5 to 40° C)
Recommended operating temperature	59 to 95° F (15 to 35° C) (depending on paper type)
Storage temperature	-13 to 131° F (-25 to 55° C)
Operating humidity	20 to 80% RH
Acoustic	
Sound pressure, active	55 dB(A)
Sound pressure, standby	42 dB(A)
Sound power, active	6.9 B(A)
Sound power, standby	5.8 B(A)
Power consumption	
Maximum	330 watts
Reversave	< 19 watts
Off	0.1 watts
Power requirements	Input voltage auto ranging: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz), 2 A max
Certification	
Safety	USA and Canada (CSA certified), EU (LVD and EN60950-1 compliant), Russia (GOST), China (CCC), Argentina (IRAM), Mexico (NACE).
Electromagnetic	Compliance for Class A ITE products: EU (EMC Directive), USA (FCC Rules), Canada (ICES), Australia (ACA), New Zealand (MoC), China (CCC), Japan (VCCI); Certified as Class A product: Korea (MIC), Taiwan (BSMI)
Environmental	EU & China RoHS, WEEE, REACH, EuP see: <a href="http://www.hp.com/go/energystar">www.hp.com/go/energystar</a>
ENERGY STAR® qualified models	
Warranty	
	One-year, next-business-day, on-site warranty
HP Care Pack Services	
UN382E	HP 3-Year Next Business Day Onsite Service
H4518E	HP Installation Services with Network Setup
UN379E	HP 3-Year Same Day Onsite Service (9x5)
UN375PE	HP 3-Year Same Day Onsite Service (13x5)



For more information, visit our website at:

[www.hp.com/go/designjetT1120SD-MFP](http://www.hp.com/go/designjetT1120SD-MFP)

4AA2-4843ENUC, March 2009

Dimensions (w x d x h)	
MFP	69.7 x 39.4 x 57.1 in (1770 x 1000 x 1450 mm)
Shipping	76 x 30.2 x 51.1 in (1930 x 766 x 1298 mm)
Weight	
MFP	309 lb (140 kg)
Shipping	401.2 lb (182 kg)
What's in the box	
Printer, printheads (3 x 2 colors each), introductory ink cartridges, 44-in stand, quick reference guide, setup poster, Serif PosterDesigner Pro poster, start-up software, scanner, touchscreen, customer service guide, USB cable, Ethernet cable, power cords	

## Ordering information

<b>Product</b>	HP Designjet T1120 SD-MFP
<b>Accessories</b>	<p>Q6709A HP Designjet T1xx0/T610 4.4-in Spindle</p> <p>J7997G HP Jeldirect 630n IPv6 Gigabit Print Server</p> <p>J7961G HP Jeldirect 635n IPv6/IPsec Print Server</p> <p>CN088A Serif PosterDesigner Pro for HP</p>
<b>Original HP printheads</b>	<p>C9380A HP 72 Gray and Photo Black Printhead</p> <p>C9383A HP 72 Magenta and Cyan Printhead</p> <p>C9384A HP 72 Matte Black and Yellow Printhead</p>
<b>Original HP ink cartridges with HP Vivera inks</b>	<p>C9397A HP 72 69-ml Photo Black Ink Cartridge</p> <p>C9398A HP 72 69-ml Cyan Ink Cartridge</p> <p>C9399A HP 72 69-ml Magenta Ink Cartridge</p> <p>C9400A HP 72 69-ml Yellow Ink Cartridge</p> <p>C9401A HP 72 69-ml Gray Ink Cartridge</p> <p>C9403A HP 72 130-ml Matte Black Ink Cartridge</p> <p>C9370A HP 72 130-ml Photo Black Ink Cartridge</p> <p>C9371A HP 72 130-ml Cyan Ink Cartridge</p> <p>C9372A HP 72 130-ml Magenta Ink Cartridge</p> <p>C9373A HP 72 130-ml Yellow Ink Cartridge</p> <p>C9374A HP 72 130-ml Gray Ink Cartridge</p>
<b>Original HP large-format printing materials</b>	<p>Q6627A HP Super Heavyweight Plus Matte Paper 210 g/m<sup>2</sup>, 36 in. x 100 ft/914 mm x 30.5 m</p> <p>Q6628A HP Super Heavyweight Plus Matte Paper 210 g/m<sup>2</sup>, 42 in. x 100 ft/1067 mm x 30.5 m</p> <p>C6030C HP Heavyweight Coated Paper 131 g/m<sup>2</sup>, 36 in. x 100 ft/914 mm x 30.5 m</p> <p>C6569C HP Heavyweight Coated Paper 131 g/m<sup>2</sup>, 42 in. x 100 ft/1067 mm x 30.5 m</p> <p>Q1956A HP Heavyweight Coated Paper 131 g/m<sup>2</sup>, 42 in. x 225 ft/1067 mm x 67.5 m</p> <p>C6019B HP Coated Paper 90 g/m<sup>2</sup>, 24 in. x 150 ft/610 mm x 45.7 m</p> <p>C6020B HP Coated Paper 90 g/m<sup>2</sup>, 36 in. x 150 ft/914 mm x 45.7 m</p> <p>C6980A HP Coated Paper 90 g/m<sup>2</sup>, 36 in. x 300 ft/914 mm x 91.4 m</p> <p>C1860A HP Bright White Inkjet Paper 90 g/m<sup>2</sup>, 24 in. x 150 ft/610 mm x 45.7 m</p> <p>C1861A HP Bright White Inkjet Paper 90 g/m<sup>2</sup>, 36 in. x 150 ft/914 mm x 45.7 m</p> <p>C6810A HP Bright White Inkjet Paper 90 g/m<sup>2</sup>, 36 in. x 300 ft/914 mm x 91.4 m</p> <p>Q1397A HP Universal Bond Paper 80 g/m<sup>2</sup>, 36 in. x 150 ft/914 mm x 45.7 m</p> <p>C3868A HP Natural Tracing Paper 90 g/m<sup>2</sup>, 36 in. x 150 ft/914 mm x 45.7 m</p> <p>C3875A HP Clear Film 174 g/m<sup>2</sup>, 36 in. x 75 ft/914 mm x 22.9 m</p> <p>51642B HP Matte Film 160 g/m<sup>2</sup>, 36 in. x 125 ft/914 mm x 38.1 m</p> <p>Q1427A HP Universal High-gloss Photo Paper 190 g/m<sup>2</sup>, 36 in. x 100 ft/914 mm x 30.5 m</p> <p>Q1421A HP Universal Semi-gloss Photo Paper 190 g/m<sup>2</sup>, 36 in. x 100 ft/914 mm x 30.5 m</p> <p>CG459A HP Premium Matte Photo Paper 210 g/m<sup>2</sup>, 24 in. x 100 ft/610 mm x 30.5 m</p> <p>CG460A HP Premium Matte Photo Paper 210 g/m<sup>2</sup>, 36 in. x 100 ft/914 mm x 30.5 m</p> <p>C7960A HP Reverse Print Matte Backlit Film 160 g/m<sup>2</sup>, 36 in. x 75 ft/914 mm x 22.9 m</p> <p>Q8834A HP Self-adhesive Gloss Polypropylene 120 g/m<sup>2</sup>, 36 in. x 75 ft/914 mm x 22.9 m</p> <p>CG886A HP Cockle-free Heavyweight Coated Paper 170 g/m<sup>2</sup>, 24 in. x 100 ft/610 mm x 0.5 m</p> <p>CG887A HP Cockle-free Heavyweight Coated Paper 170 g/m<sup>2</sup>, 36 in. x 100 ft/914 mm x 0.5 m</p> <p>CG888A HP Cockle-free Heavyweight Coated Paper 170 g/m<sup>2</sup>, 42 in. x 100 ft/1067 mm x 30.5 m</p> <p>CG883A HP Cockle-free Coated Paper 100 g/m<sup>2</sup>, 24 in. x 150 ft/610 mm x 45.7 m</p> <p>CG884A HP Cockle-free Coated Paper 100 g/m<sup>2</sup>, 36 in. x 150 ft/914 mm x 45.7 m</p> <p>CG885A HP Cockle-free Coated Paper 100 g/m<sup>2</sup>, 42 in. x 150 ft/1067 mm x 45.7 m</p> <p>CG889A HP Recycled Bond Paper 80 g/m<sup>2</sup>, 24 in. x 150 ft/610 mm x 45.7 m</p> <p>CG890A HP Recycled Bond Paper 80 g/m<sup>2</sup>, 36 in. x 150 ft/914 mm x 45.7 m</p> <p>CG891A HP Recycled Bond Paper 80 g/m<sup>2</sup>, 42 in. x 150 ft/1067 mm x 45.7 m</p> <p>CG892A HP Recycled Bond Paper 80 g/m<sup>2</sup>, (A2) 16.54 in. x 150 ft/420 mm x 45.7 m</p>

More HP large-format printing material sizes and weights available at:

[www.hp.com/go/designjet/supplies](http://www.hp.com/go/designjet/supplies)

## ecoHIGHLIGHTS

HP DESIGNJET T1120 SD-MFP

ECO INFORMATION

- Save paper and avoid printing mistakes with HP Instant Printing Utility 2.0
- Less ink wasted thanks to efficient installation and maintenance routine.
- Free, convenient cartridge recycling\*
- Supports 100% recycled media

ENERGY STAR

\* ENERGY STAR® Qualified Product

1. In countries where the HP's Planet Partner Program operates

www.hp.com/ecosolutions

Please recycle your printing hardware and supplies. Find out how at our website.

© Copyright 2007, 2009 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Intel and Pentium are trademarks of Intel Corporation in the U.S. and other countries. Windows is a U.S. registered trademark of Microsoft Corporation. ENERGY STAR is a registered mark owned by the U.S. government.

